

Serial No. 09/966,757
Page 8 of 19

RECEIVED
CENTRAL FAX CENTER

JUL 06 2007

REMARKS

This is in response to the final Office Action mailed May 8, 2007. The Examiner notes that claims 1-22 are pending and rejected. By this response, the Applicant has amended claims 1, 8 and 22. Support for the amendments can be found in the Applicant's specification at least on page 30, lines 7-16 and page 31, lines 3-8.

In view of the following discussion and amendments, the Applicant submits that none of the claims now pending in the application are anticipated or obvious under the respective provisions of 35 U.S.C. §103. Thus, the Applicant believes that all of these claims are now in allowable form.

It is to be understood that the Applicant does not acquiesce to the Examiner's characterizations of the art of record or to Applicant's subject matter recited in the pending claims. Further, the Applicant is not acquiescing to the Examiner's statements as to the applicability of the art of record to the pending claims by filing the instant response.

REJECTIONS

35 U.S.C. §103

Claim 22

The Examiner has rejected claim 22 under 35 U.S.C. §103(a) as being unpatentable over U.S. Patent 5,477,262 to Banker et al. (hereinafter "Banker") in view of U.S. Patent 4,706,121 to Young (hereinafter "Young"). Applicant respectfully traverses the rejection.

The test under 35 U.S.C. §103 is not whether an improvement or a use set forth in a patent would have been obvious or non-obvious; rather the test is whether the claimed invention, considered as a whole, would have been obvious. Jones v. Hardy, 110 USPQ 1021, 1024 (Fed. Cir. 1984) (emphasis added). Moreover, the invention as a whole is not restricted to the specific subject matter claimed, but also embraces its properties and the problem it solves. In re Wright, 6 USPQ 2d 1959, 1961 (Fed. Cir. 1988) (emphasis added). The Banker and Young references, alone or in combination, fail to teach or suggest Applicant's invention as a whole.

571590-1

Serial No. 09/966,757

Page 9 of 19

Independent claim 22 recites features of Applicant's invention that Applicant considers to be inventive. In particular, independent claim 22 recites

22. A television delivery system for generating an interactive electronic program guide for display on a television connected to the set top terminal, the system comprising:

an operations center comprising:

a means for packaging a plurality of television programs and

a means for generating program control information including data associated with the packaging of the television programs;

a means for compressing the packaged television programs and the program control information;

a means for delivering the compressed packaged television programs and the compressed program control information from the operations center to a subscriber;

a set top terminal, located at the subscriber's location, that receives the television programs from the operations center, the terminal comprising:

a microprocessor for executing program instructions;

a graphic memory;

a graphic generator to generate graphics from the graphic memory;

a first decompression hardware for decompressing a video signal of the compressed packaged television programs;

a second decompression hardware for decompressing the compressed program control information; and

a subscriber interface for choosing an option from displayed graphics and for effecting the memory location from which graphical information is generated by the graphics generator;

wherein the terminal generates an electronic program guide comprising:

a plurality of interactive menus, each corresponding to a level of interactivity and having one or more interactive menu items for selection; and

a main menu having one or more main menu items for selection, which main menu items correspond to the interactive menus, wherein the menus are navigated using a user input, and wherein the main menu items and the interactive menu items are responsive to selection signals received from the user input; and

a cursor for navigation of the menus, wherein the cursor movement corresponds to the user input and assists in the selection of one or more main menu items wherein the menus are linked in a tree sequence, and the subscriber interface comprising the option for bypassing at least one menu of the series of menus,

wherein bypassing comprises skipping a menu level of the tree sequence. (Emphasis added).

571590-1

Serial No. 09/966,757

Page 10 of 19

Specifically, Banker fails to teach or suggest at least the features of "a means for compressing the packaged television programs and the program control information, a first decompression hardware for decompressing a video signal of the compressed packaged television programs and a second decompression hardware for decompressing the compressed program control information." In addition, Banker fails to teach or to suggest the feature of "the subscriber interface comprising the option for bypassing at least one menu of the series of menus, wherein bypassing comprises skipping a menu level of the tree sequence," as recited in independent claim 22. The Examiner concedes this in the Office Action. (See Final Office Action, p. 6, l. 15-17.) However, the Examiner alleges that Young bridges the substantial gap left by Banker.

Young fails to bridge the substantial gap between Banker and Applicant's invention because Young also fails to teach or suggest "a means for compressing the packaged television programs and the program control information, a first decompression hardware for decompressing a video signal of the compressed packaged television programs and a second decompression hardware for decompressing the compressed program control information." Notably, Young teaches that the menu information is modulated and not compressed. (See Young, FIG. 1 and 2.) Consequently, Young also fails to teach or suggest using any decompression hardware, let alone a first decompression hardware and a second decompression hardware for separately decompressing a video signal of the compressed packaged television programs and the compressed program control information.

Furthermore, Young fails to teach or suggest the feature of "the subscriber interface comprising the option for bypassing at least one menu of the series of menus, wherein bypassing comprises skipping a menu level of the tree sequence". Young only teaches a TV schedule system and process. Young teaches providing one or three parallel options to a user, i.e. Master Guide (MG), Program Guide (PG), or conventional channel selection. (See Young, col. 9, ll. 48-55; FIG. 7.) Notably, nowhere in Young, does it teach or suggest "the subscriber interface comprising the option for bypassing at least one menu of the series of menus, wherein bypassing comprises skipping a menu level of the tree sequence".

571590-1

Serial No. 09/966,757

Page 11 of 19

The Examiner alleges the limitation of "the subscriber interface comprising the option for bypassing at least one menu of the series of menus, wherein bypassing comprises skipping a menu level of the tree sequence" is taught by Young, generally citing columns 20, line 13 – column 12, line 30. However, the portions of Young cited by the Examiner fail to support the Examiner's assertion. For example, with reference to PG mode, Young teaches that a P key must be pressed to enter PG mode. (See Young, col. 12, ll. 10-11.) In PG mode, an additional 5 sub-modes will appear. (See *Id.* at ll. 31-44.) However, Young does not teach or suggest an option for skipping the PG mode main screen and going directly to one of the 5 sub-modes.

Moreover, in FIGs. 7-13 of Young, all the flow diagrams depict a series of actions branching from 3 parallel options, i.e. MG, PG or TV. (See Young, FIG. 7.) Subsequently, all the flow diagrams representing the MG, PG or TV modes fail to teach or suggest any option where an action may be bypassed. (See Young, FIGs 8-13.) In contrast, the Applicant's invention teaches "the subscriber interface comprising the option for bypassing at least one menu of the series of menus, wherein bypassing comprises skipping a menu level of the tree sequence"

The Examiner responds to the Applicants arguments asserting that a user may bypass the "program master" menu and the "prime" menu to directly access the "master guide". (See Final Office Action, p. 2, ll. 20-21.) The Applicants respectfully disagree. Nothing is "bypassed" by accessing the "master guide". Notably, when the MG key is pressed to directly access the "master guide", this is the first option according to the flow diagram illustrated in FIG. 7. (See Young, FIG. 7.)

Accordingly, Applicant submits that independent claim 22 is non-obvious and patentable over Banker and Young patentable under 35 U.S.C. §103. Therefore, Applicant respectfully requests that the Examiner's rejection be withdrawn. Therefore, Applicant respectfully requests that the Examiner's rejection be withdrawn.

Claims 8-21

The Examiner has rejected claims 8-21 under 35 U.S.C. §103(a) as being unpatentable over Banker in view of U.S. Patent 5,539,871 to Gibson (hereinafter "Gibson") and Young. Applicant respectfully traverses the rejection.

571590-1

Serial No. 09/966,757

Page 12 of 19

The Banker, Gibson and Young references, alone or in combination, fail to teach or suggest Applicant's invention as a whole.

Independent claim 8 recites features of Applicant's invention that Applicant considers to be inventive. In particular, independent claim 8 recites:

8. A television delivery system for generating an interactive electronic program guide for display on a television connected to a set top terminal, the system comprising:
- an operations center comprising:
 - a means for packaging a plurality of television programs; and
 - a means for generating program control information including data associated with the packaging of the television programs;
 - a means for compressing the packaged television programs and the program control information;
 - a means for delivering the compressed packaged television programs and the compressed program control information from the operations center to a subscriber;
 - a set top terminal, located at the subscriber's location, that receives the television programs from the operations center, the terminal comprising:
 - a microprocessor for executing program instructions;
 - a graphic memory;
 - a graphic generator to generate graphics from the graphic memory;
 - a first decompression hardware for decompressing a video signal of the compressed packaged television programs;
 - a second decompression hardware for decompressing the compressed program control information; and
 - a subscriber interface for choosing an option from displayed graphics and for effecting the memory location from which graphical information is generated by the graphics generator;
 - wherein the terminal senses one or more interactive features during a selected program, and generates an electronic program guide comprising:
 - a logo that is displayed on the television; and
 - an overlay menu that is displayed during the selected program, the overlay menu including the interactive features,
 - wherein the logo indicates to a user that the interactive features are available for the selected program, and wherein the overlay menu is displayed in response to a signal received from a user input and wherein the overlay menu is in a series of menus that are linked in a tree sequence and the subscriber interface comprises the option for bypassing at least one menu of the series of menus,
 - wherein bypassing comprises skipping a menu level of the tree sequence. (Emphasis added).

571590-1

Serial No. 09/966,757

Page 13 of 19

RECEIVED
CENTRAL FAX CENTER

JUL 06 2007

Specifically, Banker fails to teach or suggest at least the features of "a means for compressing the packaged television programs and the program control information, a first decompression hardware for decompressing a video signal of the compressed packaged television programs and a second decompression hardware for decompressing the compressed program control information." In addition, Banker fails to teach or to suggest the feature of "the subscriber interface comprising the option for bypassing at least one menu of the series of menus, wherein bypassing comprises skipping a menu level of the tree sequence," as recited in independent claim 8. The Examiner concedes this in the Office Action. (See Final Office Action, p. 9, l. 9-15.) However, the Examiner alleges that Gibson and Young bridge the substantial gap left by Banker.

Gibson fails to bridge the substantial gap left by Banker because Gibson also fails to teach or suggest "a means for compressing the packaged television programs and the program control information, a first decompression hardware for decompressing a video signal of the compressed packaged television programs, a second decompression hardware for decompressing the compressed program control information and the subscriber interface comprising the option for bypassing at least one menu of the series of menus, wherein bypassing comprises skipping a menu level of the tree sequence." Gibson only teaches a method and system in a data processing system for selectively associating stored data with an animated element within a multimedia presentation in a data processing system.

Young also fails to bridge the substantial gap between Banker, Gibson and Applicant's invention because Young also fails to teach or suggest "a means for compressing the packaged television programs and the program control information, a first decompression hardware for decompressing a video signal of the compressed packaged television programs and a second decompression hardware for decompressing the compressed program control information." Notably, Young teaches that the menu information is modulated and not compressed. (See Young, FIG. 1 and 2.) Consequently, Young also fails to teach or suggest using any decompression hardware, let alone a first decompression hardware and a second decompression

571590-1

Serial No. 09/966,757

Page 14 of 19

hardware for separately decompressing a video signal of the compressed packaged television programs and the compressed program control information.

Furthermore, Young fails to teach or suggest the feature of "the subscriber interface comprising the option for bypassing at least one menu of the series of menus, wherein bypassing comprises skipping a menu level of the tree sequence". Young only teaches a TV schedule system and process. Young teaches providing one of three parallel options to a user, i.e. Master Guide (MG), Program Guide (PG), or conventional channel selection. (See Young, col. 9, ll. 48-55; FIG. 7.) As discussed above, nowhere in Young, does it teach or suggest "the subscriber interface comprising the option for bypassing at least one menu of the series of menus, wherein bypassing comprises skipping a menu level of the tree sequence".

The Examiner alleges the limitation of "the subscriber interface comprising the option for bypassing at least one menu of the series of menus, wherein bypassing comprises skipping a menu level of the tree sequence" is taught by Young, generally citing columns 20, line 13 – column 12, line 30. However, the portions of Young cited by the Examiner fail to support the Examiner's assertion. For example, with reference to PG mode, Young teaches that a P key must be pressed to enter PG mode. (See Young, col. 12, ll. 10-11.) In PG mode, an additional 5 sub-modes will appear. (See *Id.* at ll. 31-44.) However, Young does not teach or suggest an option for skipping the PG mode main screen and going directly to one of the 5 sub-modes.

Moreover, in FIGs. 7-13 of Young, all the flow diagrams depict a series of actions branching from 3 parallel options, i.e. MG, PG or TV. (See Young, FIG. 7.) Subsequently, all the flow diagrams representing the MG, PG or TV modes fail to teach or suggest any option where an action may be bypassed. (See Young, FIGs. 8-13.) In contrast, the Applicant's invention teaches "the subscriber interface comprising the option for bypassing at least one menu of the series of menus, wherein bypassing comprises skipping a menu level of the tree sequence"

The Examiner responds to the Applicants arguments asserting that a user may bypass the "program master" menu and the "prime" menu to directly access the "master guide". (See Final Office Action, p. 2, ll. 20-21.) The Applicants respectfully disagree. Nothing is "bypassed" by accessing the "master guide" directly. Notably, when the MG

571590-1

Serial No. 09/966,757

Page 15 of 19

key is pressed to directly access the "master guide", this is the first option according to the flow diagram illustrated in FIG. 7. (See Young, FIG. 7.)

As such, Applicant's independent claim 8 is patentable under 35 U.S.C. §103(a) over Banker in view of Gibson and Young. Claims 9-21 depend, directly or indirectly from independent claim 8 while adding additional elements. Therefore, claims 9-21 are also non-obvious and patentable over Banker in view of Gibson and Young under §103. As such, Applicant respectfully requests that the Examiner's rejection of claims 8-21 under 35 U.S.C. §103(a) be withdrawn.

Claims 1-7

The Examiner has rejected claims 1-7 under 35 U.S.C. §103(a) as being unpatentable over U.S. Patent 5,410,326 to Goldstein (hereinafter "Goldstein") in view of Banker and Young. The rejection is traversed.

Independent claim 1 recites features of Applicant's invention that Applicant considers to be inventive. In particular, independent claim 1 recites:

1. A television delivery system for generating an interactive electronic program guide for display on a television connected to a set top terminal, the system comprising:
 - an operations center comprising:
 - a means for packaging a plurality of television programs; and
 - a means for generating program control information including data associated with the packaging of the television programs;
 - a means for compressing the packaged television programs and the program control information;
 - a means for delivering the compressed packaged television programs and the compressed program control information from the operations center to a subscriber;
 - a set top terminal, located at the subscriber's location, that receives the television programs from the operations center, the terminal comprising:
 - a microprocessor for executing program instructions;
 - a graphic memory;
 - a graphic generator to generate graphics from the graphic memory;
 - a first decompression hardware for decompressing a video signal of the compressed packaged television programs;
 - a second decompression hardware for decompressing the compressed program control information; and
 - a subscriber interface for choosing an option from displayed graphics and for effecting the memory location from which graphical information

571590-1

Serial No. 09/966,757

Page 16 of 19

is generated by the graphics generator;
wherein the terminal generates an electronic program guide having a series of menus comprising:
a home menu;
a plurality of major menus displayed as menu options on the home menu;
a plurality of sub-menus displayed as menu options on the plurality of major menus; and
a plurality of during programming menus enacted after selection of a program; wherein the series of menus are linked in a tree sequence and the subscriber interface comprises the option for bypassing at least one menu of the series of menus.
wherein bypassing comprises skipping a menu level of the tree sequence.
(Emphasis added).

The Goldstein, Banker and Young references alone or in combination fail to teach or suggest Applicants' invention as a whole.

The Goldstein reference discloses a universal remote control device which is programmed to operate a variety of consumer products. The device is connected over a bidirectional link to either a cable converter or a telephone interface for receiving programming information. A touch screen display is employed on the programmable remote control device for displaying icons of functions to be selected. By selecting a particular displayed icon, a command can be decoded and sent via an infrared link to one or more appliances. Infrared codes for operating a virtually unlimited number of devices can be supplied to the device over the bidirectional communications link. Further, a provision is provided to permit a telephone connection to be set up between the user's home and a facility advertising products or services over a cable television broadcast. The touch screen display will permit the actual display of these advertisements as messages received from the cable head end system. Orders may be placed from the universal remote control device based on these displayed advertisements.

The Goldstein reference fails to teach or suggest at least the features of "a means for compressing the packaged television programs and the program control information, a first decompression hardware for decompressing a video signal of the compressed packaged television programs and a second decompression hardware for decompressing the compressed program control information." In addition, Goldstein

571590-1

fails to teach or to suggest the feature of "the subscriber interface comprising the option for bypassing at least one menu of the series of menus, wherein bypassing comprises skipping a menu level of the tree sequence," as recited in independent claim 1. The Examiner concedes this in the Office Action. (See Final Office Action, p. 17, ll. 13-17.) However, the Examiner alleges that Banker and Young bridge the substantial gap left by Goldstein.

As discussed above Banker also fails to teach or suggest at least the features of "a means for compressing the packaged television programs and the program control information, a first decompression hardware for decompressing a video signal of the compressed packaged television programs and a second decompression hardware for decompressing the compressed program control information." In addition, Banker also fails to teach or to suggest the feature of "the subscriber interface comprising the option for bypassing at least one menu of the series of menus, wherein bypassing comprises skipping a menu level of the tree sequence."

Young fails to bridge the substantial gap between Goldstein, Banker and Applicant's invention because Young also fails to teach or suggest "a means for compressing the packaged television programs and the program control information, a first decompression hardware for decompressing a video signal of the compressed packaged television programs and a second decompression hardware for decompressing the compressed program control information." Notably, Young teaches that the menu information is modulated and not compressed. (See Young, FIG. 1 and 2.) Consequently, Young also fails to teach or suggest using any decompression hardware, let alone a first decompression hardware and a second decompression hardware for separately decompressing a video signal of the compressed packaged television programs and the compressed program control information.

Furthermore, Young fails to teach or suggest the feature of "the subscriber interface comprising the option for bypassing at least one menu of the series of menus, wherein bypassing comprises skipping a menu level of the tree sequence". Young only teaches a TV schedule system and process. Young teaches providing one of three parallel options to a user, i.e. Master Guide (MG), Program Guide (PG), or conventional channel selection. (See Young, col. 9, ll. 48-55; FIG. 7.) Notably, nowhere in Young,

Serial No. 09/966,757

Page 18 of 19

does it teach or suggest "the subscriber interface comprising the option for bypassing at least one menu of the series of menus, wherein bypassing comprises skipping a menu level of the tree sequence".

The Examiner alleges the limitation of "the subscriber interface comprising the option for bypassing at least one menu of the series of menus, wherein bypassing comprises skipping a menu level of the tree sequence" is taught by Young, generally citing columns 20, line 13 – column 12, line 30. However, the portions of Young cited by the Examiner fail to support the Examiner's assertion. For example, with reference to PG mode, Young teaches that a P key must be pressed to enter PG mode. (See Young, col. 12, ll. 10-11.) In PG mode, an additional 5 sub-modes will appear. (See *Id.* at ll. 31-44.) However, Young does not teach or suggest an option for skipping the PG mode main screen and going directly to one of the 5 sub-modes.

Moreover, in FIGs. 7-13 of Young, all the flow diagrams depict a series of actions branching from 3 parallel options, i.e. MG, PG or TV. (See Young, FIG. 7.) Subsequently, all the flow diagrams representing the MG, PG or TV modes fail to teach or suggest any option where an action may be bypassed. (See Young, FIGs. 8-13.) In contrast, the Applicant's invention teaches "the subscriber interface comprising the option for bypassing at least one menu of the series of menus, wherein bypassing comprises skipping a menu level of the tree sequence".

The Examiner responds to the Applicants arguments asserting that a user may bypass the "program master" menu and the "prime" menu to directly access the "master guide". (See Final Office Action, p. 2, ll. 20-21.) The Applicants respectfully disagree. Nothing is "bypassed" by accessing the "master guide" directly. Notably, when the MG key is pressed to directly access the "master guide", this is the first option according to the flow diagram illustrated in FIG. 7. (See Young, FIG. 7.)

As such, Applicant submits that independent claim 1 is patentable under 35 U.S.C. §103(a) over Goldstein in view of Banker and Young. Claims 2-7 depend, directly or indirectly from independent claim 1 while adding additional elements. Therefore, claims 2-7 are also non-obvious and patentable over Goldstein in view of Banker and Young under §103 for at least the same reasons that claim 1 is patentable over Goldstein in view of Banker and Young under §103. As such, Applicant

571590-1

Serial No. 09/966,757

Page 19 of 19

RECEIVED
CENTRAL FAX CENTER

JUL 06 2007

respectfully requests that the Examiner's rejection of claims 8-21 under 35 U.S.C. §103(a) be withdrawn.

CONCLUSION

Thus, Applicant submits that none of the claims, presently in the application, are obvious under the respective provisions of 35 U.S.C. § 103. Accordingly, both reconsideration of this application and its swift passage to issue are earnestly solicited.

If, however, the Examiner believes that there are any unresolved issues requiring adverse final action in any of the claims now pending in the application, it is requested that the Examiner telephone Eamon J. Wall or Jimmy Kim at (732) 530-9404 so that appropriate arrangements can be made for resolving such issues as expeditiously as possible.

Respectfully submitted,

Dated: 7/6/07

Eamon J. Wall
Registration No. 39,414
Attorney for Applicant(s)

PATTERSON & SHERIDAN, LLP
595 Shrewsbury Avenue, Suite 100
Shrewsbury, New Jersey 07702
Telephone: 732-530-9404
Facsimile: 732-530-9808